



BS EN 14351-1:2006+A2:2016

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT  
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

## DECLARATION OF PERFORMANCE

THIS IS TO CERTIFY THAT

CLYDE WINDOWS & CONSTRUCTION LIMITED

Block 2, Unit 10 Hindsland Road, Larkhall Industrial Estate, Larkhall. ML9 2PA.



HAVE CONFORMED WITH EN 14351-1:2006 + A2:2016 ANNEX ZA

FOR

EUROCELL PVC WINDOW & DOOR PROFILE

CASEMENT & TILT / TURN WINDOWS AND SINGLE & DOUBLE RESIDENTIAL DOOR SETS DOORS INTENDED TO BE  
USED IN DOMESTIC AND COMMERCIAL LOCATIONS

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING WITH EN 14351-  
1:2006 + A2:2016 ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND PERFORMANCE INDICATION PAPERS FOR  
ALL COMPONENTS

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

DANGEROUS SUBSTANCES - Clause 4.6

LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

THERMAL CHARACTERISTICS - Clause 4.12

Signed:

*R D Duckett*

Date:

*6<sup>th</sup> October 2020*

Position:

*MANAGING DIRECTOR*



**CLYDE WINDOWS & CONSTRUCTION LIMITED**

Block 2, Unit 10 Hindsland Road, Larkhall Industrial Estate, Larkhall. ML9 2PA.

20	
EN 14351-1:2006 + A2:2016	
WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT	
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS	
EUROCELL PVC WINDOW & DOOR PROFILE	
<u>Characteristics</u>	<u>Declared Value</u>
Dangerous Substances	None
Thermal Transmittance	$\leq 3.4W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	NPD
Resistance to snow and permanent load	NPD
Reaction to fire	NPD
External Fire Performance	NPD
Water tightness	NPD
Impact Resistance	NPD
Radiation Properties	NPD
Acoustic Performance	NPD
Air Permeability	NPD

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed: *RO Dickette*  
Position: *Managing Director*

Date: *6<sup>th</sup> October 2020*